

吉安得尔为您提供

大小鼠无创血压仪部分论文列表

1、*Nature Medicine* 11, 562 - 566 (2005)

Published online: 17 April 2005; | doi:10.1038/nm1231

Thromboxane A₂ and prostaglandin F_{2α} mediate inflammatory tachycardia

2、*Nature Medicine* 8, 35 - 40 (2002)

doi:10.1038/nm0102-35

Cardiac hypertrophy is inhibited by antagonism of ADAM12 processing of HB-EGF: Metalloproteinase

inhibitors as a new therapy

3、*Nature Medicine* 11, 1330 - 1338 (2005)

Published online: 27 November 2005; | doi:10.1038/nm1335

Regression of abdominal aortic aneurysm by inhibition of c-Jun N-terminal kinase

4、*Hypertension*. 2004;43:686.)

AT1 Receptor Blocker Added to ACE Inhibitor Provides Benefits at Advanced Stage of Hypertensive Diastolic

Heart Failure

5、*Circulation*. 2004;109:2143-2149.)

Activation of Matrix Metalloproteinases Precedes Left Ventricular Remodeling in Hypertensive Heart Failure

Rats

6、 *Circulation Research*. 2003;93:759.)

Activation of Adenosine A₁ Receptor Attenuates Cardiac Hypertrophy and Prevents Heart Failure in Murine

Left Ventricular Pressure-Overload Model

7、 *Journal of Molecular and Cellular Cardiology*

Volume 35, Issue 8, August 2003, Pages 953-960

3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors prevent the development of cardiac hypertrophy and heart failure in rats

8、 *Biological & Pharmaceutical Bulletin*

Vol. 25 (2002) , No. 9 1247

Antihypertensive Effect of Sesamin. IV. Inhibition of Vascular Superoxide Production by Sesamin

9、 *Cardiovascular Research*, Volume 57, Issue 3, Page 766

Differential activation of matrix metalloproteinases in heart failure with and without ventricular dilatation.

10、 *Neuroreport*. 16(4):325-328, March 15, 2005

Candesartan reduces superoxide production after global cerebral ischemia.

11、 *Hypertension*. 2002;39:578.)

Effect of TNF- α -Converting Enzyme Inhibitor on Insulin Resistance in Fructose-Fed Rats

12. *Hypertension*. 2002;40:83.)

High-Salt Diet Enhances Insulin Signaling and Induces Insulin Resistance in Dahl Salt-Sensitive Rats

13. *Hypertension*. 2004;44:956.)

Impairment of PI3-K/Akt Pathway Underlies Attenuated Endothelial Function in Aorta of Type 2 Diabetic Mouse Model

14. *Hypertension*. 2006;48:972.)

Soluble Guanylate Cyclase Stimulation on Cardiovascular Remodeling in Angiotensin II-Induced Hypertensive Rats

15. *Clinical and Experimental Pharmacology and Physiology*

Volume 30 Issue 4 Page 284-288, April 2003

Effects of dietary *Angelica keiskei* on lipid metabolism in stroke-prone spontaneously hypertensive rats

16. *Journal of Pharmacological Sciences*

Vol. 104 (2007) , No. 4 pp.402-405

A High-Sodium Diet in Streptozotocin-Induced Diabetic Rats Impairs Endothelium-Derived Hyperpolarizing Factor-Mediated Vasodilation